

APPENDIX
 DEHAVEN RANCH PLANT LIST, (SIVINSKI 2015)

| FAMILY | SPECIES AND SUBSPECIES | COMMON NAME | NATIVE OR EXOTIC | HABITAT |
|----------------|---|-----------------------|------------------|--------------------------|
| Agavaceae | <i>Yucca glauca</i> | plains yucca | N | Grassland; rocky slopes |
| Anacardiaceae | <i>Rhus trilobata</i> | three-leaf sumac | N | Rocky slopes; Riparian |
| Apiaceae | <i>Berula erecta</i> | cutleaf waterparsnip | N | Riparian |
| Apiaceae | <i>Cicuta maculata</i> | spotted water-hemlock | N | Riparian |
| Asclepiadaceae | <i>Asclepias latifolia</i> | broadleaf milkweed | N | Grassland; rocky slopes |
| Asclepiadaceae | <i>Asclepias subverticillata</i> | horsetail milkweed | N | Rocky slopes; Riparian |
| Asparagaceae | <i>Asparagus officinalis</i> | Asparagus | E | Riparian |
| Asteraceae | <i>Ambrosia psilostachya</i> | perennial ragweed | N | Grassland; rocky slopes |
| Asteraceae | <i>Arctium minus</i> | burdock | E | Riparian |
| Asteraceae | <i>Artemisia carruthii</i> | Carruth's wormwood | N | Grassland; rocky slopes |
| Asteraceae | <i>Artemisia dracunculus</i> | dragon wormwood | N | Grassland |
| Asteraceae | <i>Artemisia filifolia</i> | sand sage | N | Grassland |
| Asteraceae | <i>Artemisia frigida</i> | fringed sage | N | Rocky slopes |
| Asteraceae | <i>Artemisia ludoviciana</i> | Louisiana wormwood | N | Grassland; Rocky slopes |
| Asteraceae | <i>Baccharis wrightii</i> | Wright's baccharis | N | Grassland; Rocky slopes |
| Asteraceae | <i>Berlandiera lyrata</i> | chocolate flower | N | Grassland; Rocky slopes |
| Asteraceae | <i>Brickellia brachyphylla</i> | plumed brickellbush | N | Rocky slopes; Riparian |
| Asteraceae | <i>Brickellia californica</i> | brickellbush | N | Rocky slopes |
| Asteraceae | <i>Brickellia eupatorioides</i> var. <i>chlorolepis</i> | false boneset | N | Rocky slopes; Riparian |
| Asteraceae | <i>Chaetopappa ericoides</i> | heath aster | N | Grassland; rocky slopes |
| Asteraceae | <i>Cirsium undulatum</i> | wavy-leaf thistle | N | Distrbance; Rocky slopes |
| Asteraceae | <i>Conyza canadensis</i> | westernn horseweed | N | Disturbance |
| Asteraceae | <i>Dieteria canescens</i> var. <i>glabra</i> | sand-daisy | N | Grassland |
| Asteraceae | <i>Erigeron canus</i> | hoary fleabane | N | Grassland |
| Asteraceae | <i>Erigeron flagellaris</i> | whiplash fleabane | N | Woodland |
| Asteraceae | <i>Grindelia squarrosa</i> | curly-cup gumweed | N | Disturbance |
| Asteraceae | <i>Gutierrezia sarothrae</i> | broom snakeweed | N | Grassland |
| Asteraceae | <i>Helenium autumnale</i> | autumn sneezeweed | N | Wet Meadow |
| Asteraceae | <i>Helianthus annuus</i> | annual sunflower | N | Disturbance; Riparian |
| Asteraceae | <i>Helianthus maximiliani</i> | Maximilian sunflower | N | Wet Meadow |
| Asteraceae | <i>Helianthus petiolaris</i> | prairie sunflower | N | Grassland; Disturbance |

APPENDIX

DEHAVEN RANCH PLANT LIST, (SIVINSKI 2015)

| | | | | |
|----------------|----------------------------------|-------------------------|---|-------------------------|
| Asteraceae | <i>Heterotheca villosa</i> | hairy golden-aster | N | Rocky slopes |
| Asteraceae | <i>Hymenopappus filifolius</i> | fineleaf hymenopappus | N | Grassland; Rocky slopes |
| Asteraceae | <i>Lactuca serriola</i> | prickly lettuce | E | Disturbance |
| Asteraceae | <i>Packera hartiana</i> | Hart's ragwort | N | Riparian; Wet meadow |
| Asteraceae | <i>Parthenium incanum</i> | mariola | N | Rocky slopes |
| Asteraceae | <i>Ratibida columnifera</i> | Mexican hat | N | Grassland |
| Asteraceae | <i>Scorzonera laciniata</i> | false salsify | E | Disturbance |
| Asteraceae | <i>Senecio flaccidus</i> | threadleaf groundsel | N | Grassland; Rocky slopes |
| Asteraceae | <i>Stephanomeria tenuifolia</i> | thin-leaf wire-lettuce | N | Grassland |
| Asteraceae | <i>Symphyotrichum fendleri</i> | Fendler's aster | N | Rocky slopes |
| Asteraceae | <i>Taraxicum officinale</i> | dandelion | E | Disturbance; Riparian |
| Asteraceae | <i>Tetranneuris scaposa</i> | stemmy four-nerve daisy | N | Grassland; rocky slopes |
| Asteraceae | <i>Thelesperma megapotamicum</i> | cota | N | Grassland; rocky slopes |
| Asteraceae | <i>Xanthisma spinulosum</i> | lacy tansy-aster | N | Grassland; Rocky slopes |
| Asteraceae | <i>Xanthium strumarium</i> | rough cocklebur | N | Riparian |
| Asteraceae | <i>Zinnia grandiflora</i> | Rocky Mountain zinnia | N | Grassland; Rocky slopes |
| Boraginaceae | <i>Cryptantha cinerea</i> | James' cryptantha | N | Rocky slopes |
| Boraginaceae | <i>Cryptantha minima</i> | little cryptantha | N | Grassland |
| Boraginaceae | <i>Cryptantha thysiflora</i> | calcareus cryptantha | N | Grassland; Rocky slopes |
| Boraginaceae | <i>Lappula occidentalis</i> | stickseed | N | Grassland; Rocky slopes |
| Boraginaceae | <i>Lithospermum incisum</i> | fringed pucoon | N | Grassland |
| Brassicaceae | <i>Descurainia pinnata</i> | western tansymustard | N | Grassland; Disturbance |
| Brassicaceae | <i>Erysimum asperum</i> | plains wallflower | N | Rocky slopes |
| Brassicaceae | <i>Nasturtium officinale</i> | water-cress | E | Riparian |
| Cactaceae | <i>Cylindropuntia imbricata</i> | walkingstick cholla | N | Grassland; rocky slopes |
| Cactaceae | <i>Echinocereus viridiflorus</i> | nylon hedgehog cactus | N | Grassland |
| Cactaceae | <i>Escobaria vivipera</i> | spiny star | N | Grassland |
| Cactaceae | <i>Mammillaria meiacantha</i> | little nipple cactus | N | Grassland |
| Cactaceae | <i>Opuntia polyacantha</i> | plains pricklypear | N | Grassland |
| Cannabaceae | <i>Celtis reticulata</i> | netleaf hackberry | N | Rocky slopes; Riparian |
| Chenopodiaceae | <i>Chenopodium album</i> | lambsquarters | E | Disturbance |
| Chenopodiaceae | <i>Chenopodium incanum</i> | mealy goosefoot | N | Grassland; Disturbance |
| Chenopodiaceae | <i>Kochia scoparia</i> | kochia | E | Disturbance |
| Chenopodiaceae | <i>Salsola tragus</i> | Russian-thistle | E | Disturbance; Grassland |
| Commelinaceae | <i>Tradescantia occidentalis</i> | prairie spiderwort | N | Grassland |

APPENDIX
DEHAVEN RANCH PLANT LIST, (SIVINSKI 2015)

| | | | | |
|-----------------|---|--------------------------|---|-------------------------|
| Convolvulaceae | <i>Convolvulus equitans</i> | gray bindweed | N | Rocky slopes |
| Convolvulaceae | <i>Evolvulus nuttallianus</i> | silver wild morningglory | N | Grassland; Rocky slopes |
| Cupressaceae | <i>Juniperus scopulorum</i> | Rocky Mountain juniper | N | Riparian |
| Cyperaceae | <i>Carex hystricina</i> | porcupine sedge | N | Wet Meadow |
| Cyperaceae | <i>Carex nebrascensis</i> | Nebraska sedge | N | Wet Meadow |
| Cyperaceae | <i>Carex pellita</i> | wooly sedge | N | Wet Meadow |
| Cyperaceae | <i>Carex praegracilis</i> | field sedge | N | Wet Meadow |
| Cyperaceae | <i>Eleocharis palustris</i> | common spikerush | N | Riparian; Wet meadow |
| Cyperaceae | <i>Eleocharis rostellata</i> | beaked spikerush | N | Wet Meadow |
| Cyperaceae | <i>Schoenoplectus acutus</i> | hard-stem bulrush | N | Wet Meadow |
| Equisetaceae | <i>Equisetum laevigatum</i> | smooth horsetail | N | Riparian; Wet meadow |
| Euphorbiaceae | <i>Chamaesyce fendleri</i> | Fendler's sandmat | N | Grassland; Rocky slopes |
| Euphorbiaceae | <i>Tragia ramosa</i> | branched noseburn | N | Rocky slopes |
| Fabaceae | <i>Astragalus missouriensis</i> | Missouri milkvetch | N | Grassland |
| Fabaceae | <i>Dalea jamesii</i> | James' prairie clover | | Grassland; Rocky slopes |
| Fabaceae | <i>Dalea purpurea</i> | purple prairie-clover | N | Rocky slopes |
| Fabaceae | <i>Gleditsia triacanthos</i> | honey locust | E | Riparian |
| Fabaceae | <i>Glycyrrhiza lepidota</i> | American licorice | N | Riparian |
| Fabaceae | <i>Medicago lupulina</i> | black medic | E | Disturbance |
| Fabaceae | <i>Medicago sativa</i> | alfalfa | E | Disturbance |
| Fabaceae | <i>Melilotus officinalis</i> | yellow sweet-clover | E | Disturbance |
| Fabaceae | <i>Oxytropis lambertii</i> | Lambert's crazyweed | N | Grassland; Rocky slopes |
| Fabaceae | <i>Prosopis glandulosa</i> | honey mesquite | N | Grassland |
| Fabaceae | <i>Psoralidium tenuiflorum</i> | slender scurfpea | N | Rocky slopes |
| Fabaceae | <i>Robinia pseudoacacia</i> | black locust | E | Riparian |
| Fabaceae | <i>Sophora nuttalliana</i> | silky sophora | N | Grassland |
| Fagaceae | <i>Quercus x undulata</i> | wavy-leaf oak | N | Woodland; Riparian |
| Geraniaceae | <i>Erodium cicutarium</i> | filaree | E | Grassland; Disturbance |
| Grossulariaceae | <i>Ribes cereum</i> | wax current | N | Riparian |
| Iridaceae | <i>Sisyrinchium montanum</i> | strict blue-eyed grass | N | Wet Meadow |
| Juncaceae | <i>Juncus balticus</i> | Baltic rush | N | Riparian; Wet meadow |
| Juncaceae | <i>Juncus ensifolius</i> var. <i>montanus</i> | Rocky Mountain rush | N | Riparian; Wet meadow |
| Lamiaceae | <i>Marrubium vulgare</i> | horehound | E | Disturbance |
| Lamiaceae | <i>Mentha arvensis</i> | field mint | N | Riparian |
| Linaceae | <i>Linum aristatum</i> | bristle flax | N | Grassland |

APPENDIX
DEHAVEN RANCH PLANT LIST, (SIVINSKI 2015)

| | | | | |
|-----------------|---|----------------------------------|---|-------------------------|
| Loasaceae | <i>Mentzelia sp.</i> | blazingstar | N | Grassland; Rocky slopes |
| Malvaceae | <i>Sphaeralcea coccinea</i> | scarlet globemallow | N | Grassland |
| Moraceae | <i>Maclura pomifera</i> | Osage orange | E | Oak woodland; Riparian |
| Onagraceae | <i>Oenothera albicaulis</i> | prairie evening primrose | N | Grassland |
| Onagraceae | <i>Oenothera curtiflora</i> | velvet-weed | N | Riparian; Disturbance |
| Oenothera elata | <i>Oenothera elata</i> | <i>Hooker's evening primrose</i> | N | Riparian; Wet meadow |
| Onagraceae | <i>Oenothera lavandulifolia</i> | lavenderleaf sundrops | N | Grassland |
| Onagraceae | <i>Oenothera suffrutescens</i> | scarlet bee-blossum | N | Grassland; Rocky slopes |
| Orobanchaceae | <i>Catilleja integra</i> | southwestern paintbrush | N | Grassland |
| Orobanchaceae | <i>Conopholis alpina</i> var. <i>mexicana</i> | Mexican Indian-root | N | Woodland |
| Plantaginaceae | <i>Penstemon fendleri</i> | Fendler's penstemon | N | Grassland |
| Plantaginaceae | <i>Penstemon jamesii</i> | James' beardtongue | N | Grassland |
| Plantaginaceae | <i>Plantago patigonica</i> | woolly plantain | N | Grassland |
| Plantaginaceae | <i>Veronica anagallis-aquatica</i> | blue speedwell | E | Riparian |
| Poaceae | <i>Achnatherum hymenoides</i> | Indian ricegrass | N | Grassland |
| Poaceae | <i>Agrostis stolonifera</i> | creeping bentgrass | E | Riparian; Wet meadow |
| Poaceae | <i>Aristida pupurea</i> | purple three-awn | N | Grassland |
| Poaceae | <i>Bothriochloa springfieldii</i> | Springfield's beardgrass | N | Rocky slopes |
| Poaceae | <i>Bouteloua curtipendula</i> | sideoats grama | N | Grassland; rocky slopes |
| Poaceae | <i>Bouteloua dactyloides</i> | buffalograss | N | Grassland; Riparian |
| Poaceae | <i>Bouteloua gracilis</i> | blue grama | N | Grassland |
| Poaceae | <i>Bromus inermis</i> | smooth brome | E | Disturbance; Riparian |
| Poaceae | <i>Bromus tectorum</i> | cheatgrass | E | Grassland; Disturbance |
| Poaceae | <i>Elymus canadensis</i> | Canadian wildrye | N | Riparian |
| Poaceae | <i>Elymus longifolius</i> | squirreltail | N | Grassland; Riparian |
| Poaceae | <i>Elymus smithii</i> | western wheatgrass | N | Grassland; Riparian |
| Poaceae | <i>Erioneuron pilosum</i> | hairy woollygrass | N | Grassland; Rocky slopes |
| Poaceae | <i>Festuca pratense</i> | tall fescue | E | Riparian |
| Poaceae | <i>Hesperostipa neomexicana</i> | New Mexico needle and thread | N | Grassland |
| Poaceae | <i>Hordeum jubatum</i> | foxtail barley | N | Grassland |
| Poaceae | <i>Muhlenbergia repens</i> | creeping muhly | N | Grassland; Riparian |
| Poaceae | <i>Poa compressa</i> | Canada bluegrass | E | Disturbance; Riparian |
| Poaceae | <i>Poa pratensis</i> | Kentucky bluegrass | E | Riparian |
| Poaceae | <i>Schizachyrium scoparium</i> | little bluestem | N | Grassland |
| Poaceae | <i>Sorghastrum nutans</i> | Indiangrass | N | Wet Meadow |

APPENDIX

DEHAVEN RANCH PLANT LIST, (SIVINSKI 2015)

| | | | | |
|--------------|---|-----------------------|---|-------------------------|
| Poaceae | <i>Sporobolus cryptandrus</i> | sand dropseed | N | Grassland |
| Polygalaceae | <i>Polygala alba</i> | white milkwort | N | Grassland |
| Polygonaceae | <i>Eriogonum alatum</i> | winged wild buckwheat | N | Grassland |
| Polygonaceae | <i>Eriogonum annuum</i> | annual buckwheat | N | Grassland |
| Polygonaceae | <i>Eriogonum jamesii</i> | James' wild buckwheat | N | Rocky slopes |
| Polygonaceae | <i>Rumex crispus</i> | curly dock | E | Riparian |
| Rosaceae | <i>Fallugia paradoxa</i> | Apache plume | N | Pine Forest |
| Rosaceae | <i>Potentilla anserina</i> | silverweed | N | Riparian |
| Rosaceae | <i>Rosa woodsii</i> | Wood's rose | N | Riparian |
| Salicaceae | <i>Populus deltoides subsp. wislizeni</i> | Rio Grande cottonwood | N | Riparian |
| Salicaceae | <i>Salix amygdaloides</i> | peachleaf willow | N | Riparian |
| Salicaceae | <i>Salix exigua</i> | coyote willow | N | Riparian |
| Salicaceae | <i>Salix gooddingii</i> | Goodding's willow | N | Riparian |
| Solanaceae | <i>Solanum elaeagnifolium</i> | silverleaf nightshade | N | Rocky slopes; Riparian |
| Typhaceae | <i>Typha domingensis</i> | southern cattail | N | Riparian |
| Verbenaceae | <i>Glandularia wrightii</i> | Wright's verbena | N | Grassland; rocky slopes |
| Verbenaceae | <i>Verbena bracteata</i> | carpet vervain | N | Grassland; Disturbance |
| Vitaceae | <i>Parthenocissus vitacea</i> | thicket creeper | N | Riparian |
| Vitaceae | <i>Vitis acerifolia</i> | mapleleaf grape | N | Riparian |